

### Halogen-free cable ducts and accessories

- Installed conductors are securely held in place by means of wire retaining clips that can be snapped onto bars on the side
- The wide, diagonal heads of the cable duct bars make it easy to fit the cover and hold it securely in place



Cable ducts, halogen-free



Cable ducts, halogen-free

**Notes:**

For cable ducts cut to customer requirements, visit: [phoenixcontact.net/products](http://phoenixcontact.net/products)



**Technical data**

<b>General data</b>	
Material	PC/ABS
Components	Halogen-free
Flammability rating according to UL 94	V0
Temperature range	-40 ... 90 [°C]

**Description**

**Cable duct, 2000 mm long, comprising lower and upper part**

W x H: 25 x 25 mm
W x H: 25 x 40 mm
W x H: 25 x 60 mm
W x H: 25 x 80 mm
W x H: 30 x 40 mm
W x H: 30 x 60 mm
W x H: 30 x 80 mm
W x H: 30 x 100 mm
W x H: 40 x 40 mm
W x H: 40 x 60 mm
W x H: 40 x 80 mm
W x H: 40 x 100 mm
W x H: 60 x 40 mm
W x H: 60 x 60 mm
W x H: 60 x 80 mm
W x H: 60 x 100 mm
W x H: 80 x 25 mm
W x H: 80 x 40 mm
W x H: 80 x 60 mm
W x H: 80 x 80 mm
W x H: 80 x 100 mm
W x H: 100 x 40 mm
W x H: 100 x 60 mm
W x H: 100 x 80 mm
W x H: 100 x 100 mm
W x H: 120 x 60 mm
W x H: 120 x 80 mm

**Ordering data**

Type	Order No.	Pcs./Pkt.
CD-HF 25X25	3240340	25
CD-HF 25X40	3240341	24
CD-HF 25X60	3240342	15
CD-HF 25X80	3240343	10
CD-HF 30X40	3240344	20
CD-HF 30X60	3240345	24
CD-HF 30X80	3240346	12
CD-HF 30X100	3240347	12
CD-HF 40X40	3240348	25
CD-HF 40X60	3240349	20
CD-HF 40X80	3240350	10
CD-HF 40X100	3240351	10
CD-HF 60X40	3240352	20
CD-HF 60X60	3240353	12
CD-HF 60X80	3240354	10
CD-HF 60X100	3240355	8
CD-HF 80X25	3240356	12
CD-HF 80X40	3240357	15
CD-HF 80X60	3240358	10
CD-HF 80X80	3240359	6
CD-HF 80X100	3240360	8
CD-HF 100X40	3240361	10
CD-HF 100X60	3240362	8
CD-HF 100X80	3240363	6
CD-HF 100X100	3240364	6
CD-HF 120X60	3240365	6
CD-HF 120X80	3240366	4



**Technical data**

Material	PC/ABS
Components	Halogen-free
Flammability rating according to UL 94	V0
Temperature range	-40 ... 90

**Ordering data**

Type	Order No.	Pcs./Pkt.
CD-HF 25X40 BU	3240583	24
CD-HF 25X40 BU	3240583	24
CD-HF 30X100 BU	3240589	12
CD-HF 40X80 BU	3240592	10
CD-HF 40X100 BU	3240593	10
CD-HF 60X40 BU	3240594	20
CD-HF 60X60 BU	3240595	12
CD-HF 60X80 BU	3240596	10
CD-HF 60X100 BU	3240597	8
CD-HF 80X40 BU	3240599	15
CD-HF 80X60 BU	3240600	10
CD-HF 80X80 BU	3240601	6
CD-HF 80X100 BU	3240602	8
CD-HF 100X80 BU	3240605	6
CD-HF 100X100 BU	3240606	6
CD-HF 120X80 BU	3240608	4

**Plastic body-bound rivet, 4 mm diameter, for a material thickness of 1.5 ... 6 mm**

6 mm diameter, material thickness of 2 ... 8 mm

**Rivet setting tool, for processing the plastic body-bound rivet RVT-PA 4**


**Rivet setting tool, for use with RVT-PA 6 plastic body-bound rivets**

**Accessories**

Type	Order No.	Pcs./Pkt.
RVT-PA 4	3240498	100
RVT-PA 6	3240499	100
UNIFOX-RVT P 4	1212478	1
UNIFOX-RVT P 6	1212509	1

**Accessories**

Type	Order No.	Pcs./Pkt.
RVT-PA 4	3240498	100
RVT-PA 6	3240499	100
UNIFOX-RVT P 4	1212478	1
UNIFOX-RVT P 6	1212509	1



- Installed conductors are securely held in place by means of wire retaining clips that can be snapped onto bars on the side
- The wide, diagonal heads of the cable duct bars make it easy to fit the cover and hold it securely in place



- Predetermined breaking point enables tool-free, burr-free removal of bars
- The CUTFOX-CD cable duct cutter for easy cutting with minimum effort and no burrs



- Plastic body-bound rivets enable easy fixing of cable ducts using the rivet setting tool



- Thanks to its powerful leverage and special blade geometry, the PPS CD cable duct cutter allows easy cutting with minimum effort and no burrs

#### Notes:

For cable ducts cut to customer requirements, visit: [phoenixcontact.net/products](http://phoenixcontact.net/products)

#### General data

Material

Flammability rating according to UL 94

Temperature range

[°C]

#### Description

**Cable duct**, 2000 mm long, comprising **lower** and **upper part**

W x H: 25 x 25 mm  
 W x H: 25 x 40 mm  
 W x H: 25 x 60 mm  
 W x H: 25 x 80 mm  
 W x H: 30 x 40 mm  
 W x H: 30 x 60 mm  
 W x H: 30 x 80 mm  
 W x H: 30 x 100 mm  
 W x H: 40 x 40 mm  
 W x H: 40 x 60 mm  
 W x H: 40 x 80 mm  
 W x H: 40 x 100 mm  
 W x H: 60 x 40 mm  
 W x H: 60 x 60 mm  
 W x H: 60 x 80 mm  
 W x H: 60 x 100 mm  
 W x H: 80 x 25 mm  
 W x H: 80 x 40 mm  
 W x H: 80 x 60 mm  
 W x H: 80 x 80 mm  
 W x H: 80 x 100 mm  
 W x H: 100 x 40 mm  
 W x H: 100 x 60 mm  
 W x H: 100 x 80 mm  
 W x H: 100 x 100 mm  
 W x H: 120 x 60 mm  
 W x H: 120 x 80 mm

**Universal wire holding bracket**, pre-perforated for cable duct widths of 40, 60, 80 and 100 mm

**Plastic body-bound rivet**, 4 mm diameter, for a material thickness of 1.5 ... 6 mm

6 mm diameter, material thickness of 2 ... 8 mm

**Rivet setting tool**, for processing the plastic body-bound rivet the RVT-PA 4 plastic.....


**Rivet setting tool**, for use with RVT-PA 6 plastic body-bound rivets



Cable ducts, gray



Cable ducts, white



Cable ducts, blue



Technical data
PVC
V0
-5 ... 60

Technical data
PVC
V0
-5 ... 60

Technical data
PVC
V0
-5 ... 60

Ordering data		
Type	Order No.	Pcs./Pkt.
CD 25X25	3240187	25
CD 25X40	3240188	24
CD 25X60	3240191	15
CD 25X80	3240197	10
CD 30X40	3240278	20
CD 30X60	3240280	24
CD 30X80	3240282	12
CD 30X100	3240283	12
CD 40X40	3240189	25
CD 40X60	3240192	20
CD 40X80	3240198	10
CD 40X100	3240294	10
CD 60X40	3240190	20
CD 60X60	3240193	12
CD 60X80	3240199	10
CD 60X100	3240263	8
CD 80X25	3240281	12
CD 80X40	3240335	15
CD 80X60	3240194	10
CD 80X80	3240200	6
CD 80X100	3240264	8
CD 100X40	3240279	10
CD 100X60	3240195	8
CD 100X80	3240201	6
CD 100X100	3240205	6
CD 120X60	3240196	6
CD 120X80	3240202	4

Ordering data		
Type	Order No.	Pcs./Pkt.
CD 25X25 WH	3240616	25
CD 25X40 WH	3240617	24
CD 25X60 WH	3240618	15
CD 25X80 WH	3240619	10
CD 30X40 WH	3240620	20
CD 30X60 WH	3240621	24
CD 30X80 WH	3240622	12
CD 30X100 WH	3240623	12
CD 40X40 WH	3240624	25
CD 40X60 WH	3240625	20
CD 40X80 WH	3240626	10
CD 40X100 WH	3240627	10
CD 60X40 WH	3240628	20
CD 60X60 WH	3240629	12
CD 60X80 WH	3240630	10
CD 60X100 WH	3240631	8
CD 80X25 WH	3240632	12
CD 80X40 WH	3240633	15
CD 80X60 WH	3240634	10
CD 80X80 WH	3240635	6
CD 80X100 WH	3240636	8
CD 100X40 WH	3240637	10
CD 100X60 WH	3240638	8
CD 100X80 WH	3240639	6
CD 100X100 WH	3240640	6
CD 120X60 WH	3240641	6
CD 120X80 WH	3240642	4


Ordering data		
Type	Order No.	Pcs./Pkt.
CD 25X25 BU	3240301	25
CD 25X40 BU	3240302	24
CD 25X60 BU	3240303	15
CD 25X80 BU	3240304	10
CD 30X40 BU	3240305	20
CD 30X60 BU	3240306	24
CD 30X80 BU	3240307	12
CD 30X100 BU	3240308	12
CD 40X40 BU	3240309	25
CD 40X60 BU	3240310	20
CD 40X80 BU	3240311	10
CD 40X100 BU	3240312	10
CD 60X40 BU	3240313	20
CD 60X60 BU	3240314	12
CD 60X80 BU	3240315	10
CD 60X100 BU	3240316	8
CD 80X25 BU	3240317	12
CD 80X40 BU	3240318	15
CD 80X60 BU	3240319	12
CD 80X80 BU	3240320	6
CD 80X100 BU	3240321	8
CD 100X40 BU	3240322	10
CD 100X60 BU	3240323	8
CD 100X80 BU	3240324	6
CD 100X100 BU	3240325	6
CD 120X60 BU	3240326	6
CD 120X80 BU	3240327	4

Accessories		
Type	Order No.	Pcs./Pkt.
CD WR	3240284	50
RVT-PA 4	3240498	100
RVT-PA 6	3240499	100
UNIFOX-RVT P 4	1212478	1
UNIFOX-RVT P 6	1212509	1

Accessories		
Type	Order No.	Pcs./Pkt.
CD WR	3240284	50
RVT-PA 4	3240498	100
RVT-PA 6	3240499	100
UNIFOX-RVT P 4	1212478	1
UNIFOX-RVT P 6	1212509	1

Accessories		
Type	Order No.	Pcs./Pkt.
CD WR	3240284	50
RVT-PA 4	3240498	100
RVT-PA 6	3240499	100
UNIFOX-RVT P 4	1212478	1
UNIFOX-RVT P 6	1212509	1

### Cable duct cutters



- The CUTFOX CD is a manual tool, that can be used in a mobile way, for the best unrestricted cutting performance.
- The cable duct cutter enables burr and chip-free cutting to length of plastic profiles such as wiring channels and their covers.
- Special cutting geometries ensure a clean cut and long lifetimes
- The PPS CD M, as a stationary tool, is ideally suited for convenient application over long periods of time.



Cable duct cutter

ERIC

Description	Color
Cable duct cutter	black
Cable duct cutters	black

Replacement blade, for PPS CD M
Replacement counter support (grip protection), for PPS CD M
Workbench, with plywood panel 700 x 1200 x 50 mm, without mounting screws and bore holes
Limit stop, 90°

Ordering data		
Type	Order No.	Pcs./Pkt.
CUTFOX-CD	1212474	1
PPS CD M	1207569	1

Accessories		
Type	Order No.	Pcs./Pkt.
PPS CD BLADE	1207572	1
PPS CD M COHO	1208995	1
PPS TABLE	1206285	1
CUTFOX-CD/ES 90	1200289	1

